



GOVERNMENT OF INDIA
INDIA METEOROLOGICAL DEPARTMENT
OFFICE OF THE
DEPUTY DIRECTOR GENERAL OF METEOROLOGY
(SURFACE INSTRUMENTS)

Meteorological Office, Pune – 411 005

Phone No. 020-25535211 Ext 411 Fax No. 020- 25521529

Website : www.imdpune.gov.in

Ref No. : Tender No 72 / I/PUD- 2141/11-12/ Date : 25-01-2012

To

Sir,

Kindly quote for the following stores:

Sr.No.	Description of stores	Quantity
1	Precision Prismatic Compass (as per specifications enclosed)	35(Thirty Five) Nos.
2	Inclinometer (as per specifications enclosed)	10 (Ten) Nos

Terms and Conditions

1. The quotation should reach this office before 1430 hrs of 15th February, 2012 in a sealed cover addressed to **“The Dy. Director General of Meteorology (Surface Instruments), Meteorological Office, Pune-411 005.”** The parties bringing quotations personally may drop the same in the **“QUOTATION BOX”** kept in Admin. Section of this office.
2. The seal cover should be super scribed in block letters **“QUOTATION FOR TENDER NO 72/ I/PUD-2141/11-12/ DATED 25th JANUARY, 2012 AND DATE OF OPENING IS 15th FEBRUARY, 2012 (PRECISION PRISMATIC COMPASS & INCLINOMETER).”**
3. **Validly of quotation:** 30 days from date of opening of tender
4. The quotations will be opened at 1430 hrs on the due date. The bidder may remain present at the time of opening of the quotation, if they desire.
5. **Terms of payment:** 100% within 30 days from the date of acceptance of the store
6. The rates quoted should separately indicate, Sales tax, VAT, Excise duty and any other applicable taxes / charges, etc. No extra charges will be paid / entertained after opening the bids. **Rates should be quoted in Indian Rupees only.**
7. The lowest bidder will be considered on the basis of total cost of material including all taxes and transportation charges (including loading and unloading).
8. The right to ignore quotations which fail to comply with the above instructions is reserved.

Yours faithfully,

(V. S. Savgave)
Assistant Meteorologist Gr.I
For DDGM (SI)

Specifications of Prismatic compass

1-'Atma' make or equivalent

2-Direct measurement of Direction

3-Its magnetic bearing is read through a sliding Prism attachment on the full

Brass body

4-With leather Sling Cover/Case

5-100 mm (4") Diameter

6-Without tripod stand

7 - Having High Durability

Handwritten signature

11

Specifications

(A) Angle Finder

- 1) Instant and accurate angle finding capability.
- 2) Ability to read any angle from 0° to 90° in any quadrant
- 3) Moulded from high-impact plastic
- 4) Magnetic base with spirit level
- 5) V-grooved for easy use

Agir