

UNDER CERTIFICATE OF POSTING

No. I/PUD-2190/2010-11/

dated: 21st July, 2010.

GOVERNMENT OF INDIA
INDIA METEOROLOGICAL DEPARTMENT

From: Deputy Director General of
Meteorology(Surface Instruments)
India Meteorological Department,
Shivajinagar, Pune - 411 005.

Telephone No. : 25535211
(Extn. 410/411)
E-Mail Address: ddgmsi@.imdpune.gov.in

To : M/s

Sir(s),

Kindly quote for the following stores or their equivalent. Your quotation has to clearly mention following details : (i) Full specifications; make of the item (ii) Delivery period (iii) Terms of delivery (iv) Whether rates quoted include Packing and Forwarding charges, Sales tax, Excise, etc. If not, these are to be shown separately alongwith the rates (No extra charges will be paid/entertained after opening the bids.) (v) Period of validity of offer (vi) Terms of payment. The quotation should reach this office before 1430 hrs of **28TH JULY, 2010**, in a sealed cover addressed to **“The Dy. Director General of Meteorology (Surface Instruments), Meteorological Office, Pune-411 005.”** **The quotations will be opened at 1430 hrs on the due date.** The quoters may be present at the time of opening of the quotation, if they desire so.

S.No.	Description of stores	Quantity
1.	Copper Cable 70 SQ.mm, Multistrand For earthing purpose, 1100 V Grade	4 Bundles (4x 100 m/ bundle) 400 mts.

- Note:**
- 1) Rates should be quoted in Indian Rupees only.
 - 2) The sealed cover containing quotation should be superscribed in block letters **“QUOTATION FOR ENQUIRY NO. I/PUD-2190/2010-11/
DATED 21st JULY, 2010 AND DATE OF OPENING 28TH JULY, 2010”.**
 - 3) The right to ignore quotations which fail to comply with the above instructions is reserved.
 - 4) The parties bringing quotations personally may drop the same in the **“QUOTATION BOX”** kept in Admin. Section of this office.
 - 5) The firm should clearly mention Make and Model of the item being offered, wherever applicable.
 - 6) The firm should give separate sealed bids for technical and commercial in one envelope.

Yours faithfully,

(R.R. Joshi)
Assistant Meteorologist Gr.I
for Dy. Director General of Meteorology
(Surface Instruments)

Kindly observe the instruction mentioned at Note No. 1